





Documentație tehnică motocositoare cu masa

BASSI 999K/999B, KL 100



Nr.crt.	Cod intern	Denumire	Observati	Cantitate
1,0		Engine Assy		1
1,001	201132001	Engine	6.5HP 3600r/min	1
1,002	G10011	Hole Spring Collar	φ 90	1
1,003	201102002	Friction Dish 3	65Mn	3
1,004	201102003	Friction Dish 2	65Mn	3
1,005	201102004	Friction Dish 1	65Mn	1
1,006	201102005	Disk Spring	50CrVA	1
1,007	201102006	Steel Wire Collar		1
1,008	201102007	Clutch Bottom Case	ZL102+45#	1
1,009	201102008	Clutch Spline	20CrMnTi	1
1,010	201102009	Clutch Top Cover		1
1,011	G01113	Bolt	M8×1×22	1
1,012	G03002	Spring Washer	φ8	1
1,013	201102010	Connection Plate	ZL102	1
1,014	201102011	Gasket		1
1,015	201102012	Gasket		1
1,016	201102013	Spring	65Mn	1
1,017	G01045	Bolt	M8×30	4
1,018	G03012	Washer	φ 8	8
1,019	G01003	Bolt	M8×40	10
1,020	201102014	Engine Rack	Q235-A	1
1,021	G04012	Nut	M8	4
1,022	201102015	Rubber Plug		2
1,023	G07018	Flat Key	4.75×4.75×35	1


TOTAL:



2,0		Transmission Case Assy		1
2,001	201102016	Gear Case	AL308	1
2,002	G01104	Bolt	M8×17	12
2,003	G03012	Spring Washer	φ 8	23
2,004	G04012	Hex Nut	M8	22
2,005	G02008	Flat Washer	φ 6	6
2,006	G01084	Screw with cross head	M6×20	4
2,007	201102017	Output Axle Cover	ZL102	2
2,008	201102018	Seal plate		2
2,009	201102019	Cover	PA6-GF30	2
2,010	G05015	FB Seal plate	φ 47× φ 25×10	2
2,011	201102020	Pin	40Cr , φ 10×36	2
2,012	201102021	Bolt	M16×1.5×12	2
2,013	201102022	Rubber Plate	φ 23× φ 16.2×3	2
2,014	G04005	Nut	M8	1
2,015	201102023	Screw with two tip	45#, M8X80	1
2,016	G08032	Needle Bearing	K18×14×17	1
2,017	201102024	Gear	20CrMnTi	1
2,018	201102025	Axle	20CrMnTi	1
2,019	201102026	Seal Plate		1
2,020	G05014	Seal plates	φ 47× φ 25×7	1
2,021	G08023	Ball bearing	φ 52× φ 25×15	3
2,022	201102027	Cover		2
2,023	201102028	Output Axle	20CrMnTi	1
2,024	201102029	Gear	20CrMnTi	1
2,025	G08031	Needle Bearing Assy	K17×12×13	2
2,026	G08034	Needle Bearing	AX1226	1
2,027	201102030	Gear	20CrMnTi	1


2,028	201102031	Double Gear Assy	20CrMnTi+FZ2265	1
2,029	201102032	Worm Rod	20CrMnTi	1
2,030	201102033	Axle	20CrMnTi	1
2,031	G08022	Ball Bearing	$\phi 47 \times \phi 20 \times 14$	1
2,032	G08035	Needle Bearing	K21 $\times$ 15 $\times$ 12	1
2,033	201102034	Gear with Spline	20CrMnTi	1
2,034	201102035	Gear	20CrMnTi	1
2,035	201102036	Connection Cover	PA6-GF30	4
2,036	201102037	3-position Shift	45#	1
2,037	201102038	Gear	20CrMnTi	1
2,038	201102039	2-position Shift	45#	1
2,039	201102040	Connection Shaft	Q235-A	2
2,040	201102041	Gearshift Cover		2
2,041	201102042	Side Cover	ZL102	1
2,042	201102043	Side cover 1	ZL102	1
2,043	201102044	Gasket	$\phi 16$	1
2,044	G08021	Ball bearing	$\phi 40 \times \phi 17 \times 12$	2
2,045	G05011	FB Seal plate	$\phi 40 \times \phi 17 \times 7$	1
2,046	G11003	Spring Washer	$\phi 5 \times 20$	4
2,047	201102045	shift control 2	ZG40Mn2	2
2,048	201102046	Connection Plate	45#	1
2,049	201102047	Washer	45#	1
2,050	G05003	O rubber seal	$\phi 11.8 \times \phi 2.65$	1
2,051	201102048	Gear Case Cover	AL308	1
2,052	201102049	Axle	45#	1
2,053	201102050	Ruber Pin		1
2,054	G09011	Shaft Spring Collar	$\phi 17(1.2)$	1
2,055	G09013	Shaft Spring Collar	$\phi 19(1.2)$	2
2,056	G01106	Bolt with Double tips	M8 $\times$ 27	7
2,057	G11008	Pin	$\phi 6 (m6) \times 12$	2
2,058	G12004	Steel Ball	$\phi 6.35$	2
2,059	201102051	Pression Spring	65Mn	2
2,060	201102052	seal		2
2,061	G11010	Pin	$\phi 6 (m6) \times 30$	2
2,062	G01033	Screw with Countersunk	M8 $\times$ 16	4
2,063	201102053	Connection Plate	45#	1
2,064	201102054	connection plate 2	45#	1
2,065	G06003	Cotter Pin	$\phi 2 \times 12$	2
2,066	G01006	Hex Head Bolt	M8 $\times$ 16	1
2,067	201102055	Axle	45#	1
2,068	201102056	Connection Shaft	45#	1
2,069	201102057	ConnectionPlate 1	45#	1
2,070	G05010	FB seal Plate	$\phi 19 \times \phi 12 \times 5$	2
2,071	201102058	Axle	45#	1
2,072	G04011	Nut	M6	2
2,073	201102059	Axle	45#	1
2,074	201102060	Axle	20CrMnTi	1
2,075	201102061	2-gearshift control	ZG40Mn2	1
2,076	201102062	Gasket	$\phi 5$	1
2,077	201102063	Friction Disc 1	$\phi 30 \times \phi 20.2 \times 0.3/0.5/1$	

2,078	201102064	Friction Disc 2	$\phi 30 \times \phi 20.2 \times 2$	1
2,079	G01038	Screw	M6×8	1
2,080	201102065	Washer	$\phi 13.8 \times \phi 8.2 \times 0.2、0.3$	
2,081	201102066	Washer	$\phi 23 \times \phi 14.2 \times 0.3$	1
2,082	G01090	Bolt	M5×6	1
2,083	201102067	Cover	45#	1
2,084	201102068	Washer	AS1226 $\delta=2.75$	2
2,085	G01004	Nut	M10	2
2,086	G02004	Flat Washer	$\phi 5$	2
2,087	201102069	Spacer Shim	$\phi 25 \times \phi 12.5 \times 0.3/0.5$	
2,088	201102070	Cover	20#	1
2,089	201102071	Worm Wheel	ZQSn6-6-3	1
2,090	201102072	Friction Plate	$\phi 35 \times \phi 25.2 \times 0.3$	2
2,091	201102073	Flat Key	45#	1
2,092	201102074	Clutch	20CrMnTi	1
2,093	G09016	Shaft Spring Collar	$\phi 25$	3
2,094	201102075	Washer	$\phi 42 \times \phi 25.2 \times 2$	1
2,095	201102076	Pression Spring	65Mn	1
2,096	201102077	Worm Shaft	40Cr	1
2,097	G05002	O seal	$\phi 9.5 \times \phi 2.65$	3
2,098	201102078	Oil indicator	Q235-A	1
2,099	201102079	Oil Indicator handle	PA6-GF30	1
2,100	201102080	Pipe	PA6-GF30	1
2,101	201102081	Axle	ABS	1
2,102	201102082	Connection Cover	45#	1
2,109	201102088	Screw	45#	2
2,110	G02003	Washer	$\phi 8$	1
2,111	201102149	Pin	40Cr	1
2,112	201102150	Pressure Spring	82B	1
2,113	201102151	Bolt Base	20#	1
2,114	G04015	Nut	M8	1
2,115	201102099	Handle	PA6-GF30	1




3,0	201102302	Left Wheel Assy		1
3,001	G01049	Hex Bolt	M10×20	3
3,002	201102089	Metal Wheel	Q235-A	1
3,003	201102090	Tire	4.00-8	1
3,004	201102091	wheel	Q235-A	1
3,005	G02002	Flat Washer	φ 10	3
3,006	G04001	Hex Nut	M10	3
3,007	201102092	Rubber Wheel	4.00-8	1

TOTAL :




4,0	201102303	Right Wheel Assy		1
4,001	G01049	Hex Bolt	M10×20	3
4,002	201102089	Metal Wheel	Q235-A	1
4,003	201102090	Tire		1
4,004	201102091	Metal Wheel	Q235-A	1
4,005	G02002	Flat Washer	φ 10	3
4,006	G04001	Hex Nut	M10	3
4,007	201102092	Rubber Wheel		1

TOTAL:




5,0		Frame Assy		1
5,001	G09018	Washer	ϕ 30	1
5,002	201102093	Washer	65Mn, ϕ 42 $\times$ ϕ 30. 2 $\times$ 0. 5	2
5,003	201102094	Frame Base	Q235-A	1
5,004	201102095	Oil Hole	M6	1
5,005	201102096	Pin	45#	1
5,006	201102097	Spring	65Mn	1
5,007	201102098	Frame	Q235-A	1
5,008	201102099	Pin Cap	PA6-GF30	1
5,009	201102100	Torsion Spring	65Mn	1
5,010	G01048	Nut	M8 $\times$ 55	1
5,011	G02003	Flat Washer	ϕ 8	2
5,012	G04005	Locking Nut	M8	1
5,013	G04015	Nut	M8	1
5,014	201102101	Support	Q235-A	2
5,015	G09005	Washer	ϕ 8	2
5,016	201102102	Pin	45#	1
5,017	201102087	Cover	LDPE	1
5,018	201102103	Height Control Handle	Q235-A	1



6,0	201102301	Handle Assy		1
6,001	201102104a	Cablu acționare masă cosit		1
6,002	201102105	Tube		1
6,003	201102106	Wire Connector		2
6,004	201102107	Left and Right Handle	Q235-A	1
6,005	201102108	Clutch Control Wire		1
6,006	201102109	Steel Wire Sheath		1
6,007	201102110	Switch Assy		1
6,008	201102111	Handle Sheath		2
6,009	G01077	Screw	M4×5	2
6,010	G04006	Nut	M6	3
6,011	201102112	Steel Wire		1
6,012	201102113	Wire Sheath		1
6,013	201102114	Steel Wire		1
6,014	201102115	Steel Wire Sheath		1
6,015	201102116	Screw	45#	3
6,016	G04015	Nut	M8	3
6,017	201102117	Steel Wire Sheath	45#	1
6,018	201102118	Washer	65Mn	2


6,019	G04005	Nut	M8	2
6,020	G01009	Screw	M5×20	2
6,021	G04003	Nut	M5	2
6,022	G02008	Washer	φ 6	1
6,023	G01024	Screw	M6×20	2
6,024	G03012	Spring Washer	φ 8	2
6,025	201101039	Locating ring	65Mn	1
6,026	201102119	Locating ring	65Mn	1
6,027	201102120	Torsion Spring	60Si2MnA	1
6,028	201102121	Clutch Control Rod	Q235-A	1
6,029	G01027	Screw	M6×55	1
6,030	201102122	Holding Pin		1
6,031	201102123	Handle Assembly Base	ZL104	1
6,032	201102124	ring		1
6,033	201102125	STOP Control Handle	Q235-A	1
6,034	201102126	Holding pin		1
6,035	201102127	Torsion Spring	60Si2MnA	1
6,036	G01025	Screw with hex socket	M6×35	1
6,037	201102128	Clutch Control Rod	Q235-A+ABS	1
6,038	201102129	Screw	45#, M8 X 16	2
6,039	201102130	Plate	Q235-A	2
6,040	G06003	Cotter Pin	φ 2×12	2
6,041	G02003	Flat Washer	φ 8	4
6,042	G04002	Hex Nut	M8	2
6,043	201102131	Clutch Control Rod (for	Q235-A+ABS	1
6,044	G01035	Countersink Hex Bolt	M6×60	1
6,045	201102132	Cap	PA6-GF30	1
6,046	201102133	Pression Spring	65Mn	1
6,047	201102134	Speed Control Handle	PA6-GF30	1
6,048	201102135	Handle Base	PA6-GF30	1
7	201102136	Gearshift Rod	Q235-A	1
8	201102137	Gearshift Rod	Q235-A	1
9	G01100	Screw with Square neck	M10×70	2
11	G04004	Locking Nut	M10	2
12	201102138	Cotter Pin	65Mn, φ 1.8	2
13	201102139	Connection Cover	PA6-GF30	2
14	201102140	Wire Cap	35#	3
15	201102141	Washer	φ 35× φ 25.2×1	2
16	G03012	Spring Washer	φ 8	6
17	G02003	Flat Washer	φ 8	8
18	201102142	Pin	45#, φ5×14.5	1
19	G09003	Shaft Spring Collar	φ 5	1
20	G04012	Hex Bolt	M8	6
21	201102143	Connector	Q235-A	1
22	201102144	Bandage	3×150	3
23	201102145	Washer	45# , φ 32× φ 10.5×5	2
24	G03001	Spring Washer	φ10	2
25	G01050	Hex Bolt	M10×25	2
26	201102146	Spring base	45#	1

27	G01020	Screw with Socket head	M8×45	4
28	201102147	Locking Plate	Q235-A	2
29	G04005	Nut	M8	4
30	201102148	Spring	65Mn	1
			TOTAL :	




Nr.crt.	Cod intern	Denumire	Observati	Cantitate
1	201105001	gearbox	RUT340	1
2	201105002	gear shaft	20CrMnTi	1
3	201105003	Bevel Gear	20CrMnTi	1
4	201105004	bevel gear shaft	20CrMnTi	1
5	201105005	sealing gasket		1
6	201105006	connetor 2	20CrMnA	1
7	201105007	washer	65Mn	1
8	201105008	case cover	Q235-A	1
9	201105009	Connection Support	Q235-A	1
10	G08037	Bearing 6004-2RS	$\phi 42 \times \phi 20 \times 12$	1
11	G08022	Bearing 6204	$\phi 47 \times \phi 20 \times 14$	1
12	G08023	Bearing 6205	$\phi 52 \times \phi 25 \times 15$	2
13	201102022	Rubber washer	$\phi 23 \times \phi 16.2 \times 3$	1
14	G05013	FB Seal plate	$\phi 42 \times \phi 20 \times 10$	1
15	G05017	FB Seal plate	$\phi 52 \times \phi 25 \times 7$	2
16	G09009	Shaft Spring Collar	$\phi 12$	1
17	G09014	Shaft Spring Collar	$\phi 20$	1
18	G10009	Hole Spring Collar	$\phi 52$	2
19	G03002	Spring Washer	$\phi 8$	4
20	G04005	Hex Nut	M8	36
21	G01006	Hex Bolt	M8×16	12
22	G01045	Hex Bolt	M8×30	4
23	201102021	filler opening screw	M16×1.5×12	1
24	201105010	seat pad	45#	1
25	TI360	Sport	45#	1
26	201105012	Spring	60Si2MnA	1

27	201105013	Blade 1	65Mn	12
28	201105014	Blade 2	65Mn	12
29	201105015	Cover	Q235-A	1
30	201105016	Right Cover 1	Q235-A	1
31	201105017	Left Cover 1	Q235-A	1
32	201105018	Right Cover board	Q235-A	1
33	201105019	Left Cover board	Q235-A	1
34	201105020	Holding Pin	45#(L=595、385)	1
35	G01004	Hex Bolt	M8×25	24
36	G01130	Hex Bolt	M12×65	1
37	G02003	Flat washer	φ 8	16
38	G02001	Flat washer	φ 12	1
39	G04016	Hex Nut	M12	1
40	201105021	Hexagonal Washer	45#	1
41	G03006	Spring Washer	φ 12	1
42	G04009	Hex Nut	M12	1
43	G05008	O type rubber seal	φ 45×2.65	1
44	201105022	left blade support 2	Q235-A	1
45	201105023	left blade support 1	Q235-A	1
46	201105024	right blade support 1	Q235-A	1
47	201105025	right blade support 2	Q235-A	1
48	201105026	long junction plate	Q235-A	1




Nr.crt.	Cod intern	Denumire	Observati	Cantitate
1	201106001	shield of gearbox	A3	1
2	G01018	bolt	M6×25	6
3	G02007	washer	φ 24× φ 6.3×2	6
4	201106002	rubber washer		12
5	G02008	flat washer	φ 6	6
6	G03003	spring washer	φ 6	6
7	G04008	nut	M6	6
8	201106003	support of big shield	A3	1
9	G03002	spring Washer	φ 8	8
10	G02003	flat washer	φ 8	8

11	G04002	nut	M8	4
12	201106004	junction plate	A3	1
13	G01005	bolt	M8×20	2




14,0	201106200	gearbox assy		1
14,001	G09009	washer on shaft	φ 12	1
14,002	201105007	washer	65Mn	1
14,003	201106005	function connection	20CrMnA	1
14,004	201105012	spring	60Si2MnA	1
14,005	201105010	washer	45#	1
14,006	201105011	heel	45#	1
14,007	G09014	washer on shaft	φ 20	1
14,008	G08037	bearing	φ 42×φ20×12	1
14,009	201106006	connector support	ZG40Cr1	1
14,010	G01050	bolt	M10×25	4
14,011	G03001	spring washer	φ 10	4
14,012	G02002	flat washer	φ 10	4
14,013	G05019	fasket	φ 47× φ 30×7	1
14,014	G08024	bearing	φ 72× φ 30×19	1
14,015	201106007	spline shaft	20CrMn	1
14,016	201106008	sealing gasket		1
14,017	G01110	double-end bolt	M8×20	4
14,018	201102022	rubber blanket	φ 23× φ 16.2×3	1

14,019	201102021	oil inlet screw	M16×1.5×12	1
14,020	G08030	bearing	φ 45× φ 35×20	1
14,021	G05018	gasket	φ 45×φ35×7	1
14,022	201106009	swing arm	ZG40Cr1	1
14,023	201106010	gearbox	QT450-10	1
14,024	G01112	double-end bolt	M10×22	5
14,025	201106011	gasket seal		1
14,026	G01092	screw	M6×10	1
14,027	201106012	flat key	45#	1
14,028	201106013	wheel support	ZG40Cr1	1
14,029	201106014	wheel	QSn7-0.2	1
14,030	201106015	baffle of support	45#	1
14,031	G08027	bearing	φ 47× φ 20×14	1
14,032	201106016	nut	45#	1
14,033	201106017	sealing gasket		1
14,034	G01028	bolt	M8×20	4
15	G01004	Bolt	M8×25	2
16	201106018	lever	A3	1
17	201106019	screw	40Cr	1
18	201106020	gasket	A3	1
19	201106021	nut	45#	1
20	201106022	silder	40Cr	1
21	201106023	support	ZG40Cr1	1
22	xzj.03	cutter		1
23	G04004	blade assy	M10	5
24	201106025	blade cover	PP	1
25	201106026	small shield	A3	1
			TOTAL :	



Nr.crt.	Denumire	Observati	Cod intern	Cantitate
1	Bolt	M8×25	GB/T5780-1987	9
2	Spring washer	φ 8	GB/T93-1987	9
3	Flat washer	φ 8	GB/T95-1985	5
4	Junction plate	45#	XZJ.03-01	1
5	Bolt	M8×35	GB/T5780-1987	4
6	wave spring washer	φ 8	GB/T955-1987	18
7	Nut	M8	GB/T41-1986	8
8	Top platen	65Mn	XZJ.03-04	4
9	Bolt	M8×50	GB/T5780-1987	4
10	Push	45#	XZJ.03-03	8
11	Top blades assy		XZJ.03.01	1
12	Bottom batter board	65Mn	XZJ.03-02	4
13	Bolt	M8×16	GB/T5780-1987	10
14	Bottom single blade	65Mn	XZJ.03.02-03	1
15	double blades	65Mn	XZJ.03.02-02	9
16	Nut	M8	GB/T6177-1986	4
17	Bolt	M8×15	GB/T92-1988	4
18	Adjusting slider	45#	XZJ.03-07	2

19	Ornament board	45#	XZJ.03-05	2
20	Bottom blades support	45#	XZJ.03.02-01	1



Nr.crt.	Denumire	Observati	Cod intern	Cantitate
1	Top batter board	65Mn	XZJ.03.01-04	4
2	Top blades support	45#	XZJ.03.01-01	1
3	Rivet (long)	Q235-A	XZJ.03.01-07	24
4	Rivet (short)	Q235-A	XZJ.03.01-06	12
5	Top blades	65Mn	XZJ.03.01-3	19
6	Top junction plate	45#	XZJ.03.01-02	1
7	Rivet	45#	XZJ.03.01-05	2

